

Mallia™

dress up your space



MALLIA / NEW RANGE OF WIRING DEVICES

 **legrand®**

www.legrandelectric.com



CONTENTS

feel it – Beauty in Form	pg. 02 - 03
admire it – Colours that Please	pg. 04 - 05
fashion it – Customise Label Holders	pg. 06 - 07
live it – Functions Gallery	pg. 08 - 09
enjoy it – Sound Diffusion	pg. 10 - 11
complete it – Installation Made Easy	pg. 12 - 13
flaunt it – Mallia Product Range	pg. 14 - 15
select it – Technical Catalogue	pg. 16 - 25

MalliaTM

dress up your space

Standing at the front line of beautiful design, the Mallia range offers handy functions and eye-catching details to give your walls a stylish makeover. Not satisfied with the conventional, we have added a twist to switches to dish up new ways of playing around with technology!





Switches come in a matt satin finish which makes cleaning a breeze. Dust and dirt wipes clean easily.

Balancing smooth sensual curves with a slim and sleek profile, Mallia integrates softly and harmoniously into your living and working environment.

feel it

A breath of French inspiration - the Mallia range of wiring accessories is the symbol of understated elegance.



Mallia switches feature elegant curves that complement the beauty of its surroundings.



With a slim, sleek profile, Mallia switches blend harmoniously into your every space.



The ergonomics of the switch extend beyond one dimension giving you a truly complete experience.

Amazing grace... clean lines and practical design make it the smart choice for you.



You now have the option of mixing and matching different coloured faceplates with the various switches. A silver faceplate with a white switch, or a champagne faceplate with a silver switch – let your creativity take over.

Mix and match for added versatility.

admire it

Available in matt white, silver and champagne, Mallia range of subtle yet elegant colours will complement any interior, while adding that signature Mallia touch.



Nice and simple. Timeless white blends elegantly into any setting.



A contemporary lift. The sheer sophistication of silver exudes a modern feel.



Setting the mood for love. Champagne adds a touch of warmth to a room.

**Looking good...
and pairing off to look even better.**



Life is full of colour... now you can bring it into your home. Full surface blank label holders allow you to display customised pictures, wallpapers and easy-to-read indicator labels!

The full works - 1 to 3 gang transparent rocker "Full Screen" consists of three layers: the Rocker, Blank label and Transparent cover.

fashion it

Embark on a journey of individualism and customise your own living or work space with full surface blank label holders for your switches. You can have your own pictures, wallpapers, label markers – the only limit is your imagination!



Switches were never meant to be boring...
Spice it up with lively colours!



This way you won't hit the wrong switch again.




Or if you think pictures speak louder than words,
you can use icons as markers.



Swathe your switch with a picture of your
own choice.

**You have the idea...
we'll fulfil it for you.**



Outboard double switched sockets with easy-reach switches on the outer edge makes it user-friendly.

live it


Balancing form and function, Mallia wiring accessories come with a host of intuitive features that help you live life to the fullest.



TV and RJ sockets are now available as modular units giving you the freedom to change and customise your sockets.



Phosphorescent locators do not consume any electricity and glows in the dark.



Switches can be equipped with LED lights depending on the function - green for locators and red for indicators.



The shut-off time is delayed by the preset duration with every push of the button.



Body-heat sensitive sleek IR switches provide complete 180° detection.

**There are many choices
and pleasures in life...
Mallia brings them
within your reach.**



The stand alone unit belts out music from one room while the central control unit gives you multi-room intercommunication, child-monitor and also a local control unit for each room.

Versatility – the local control unit can be placed either horizontally or vertically with the FM tuner.

enjoy it

Hit the right note with Mallia's sound diffusion system. Languish in the comforts of your home and let the sound of music wash away any dregs of strain with two smart system choices.



This neat stand alone unit regulates your sound system and FM radio tuner alike with a nifty touch pad.



The loudspeaker unit recesses neatly into the wall.




This control unit lets you play music from other portable music devices in more than one room.



The multi-zone control unit extends beyond the functions of the single-zone unit enabling intercom and remote child-monitoring.

We understand what is music to your ears... and give them to you.



Modular socket outlets and two gang support frames allows for customised solutions.



Socket with double function is made compatible with one gang boxes.

complete it

A beauty inside out, the Mallia range has features conceived to make life a breeze. Innovation and modern style all compacted as one mechanism, completed with the ease of installation.

Measuring up in standards with a PSB Worldwide certification.



Insulated frame designed for safety.

Ultra low consumption LED ensures minimal discomfort on the eyes.

Flexible material with enhanced resilience for mounting on uneven surfaces



Slim design for larger wiring space in the box.



Electrical mechanisms neatly packaged to give way to large capacity terminals with access to screws from the top.

**Easy installation -
all in a compact mechanism.**

flaunt it

With a Mallia switch for every space and occasion, you can answer your needs and perfect your beautiful interior all at once. Switch to Mallia and start flaunting!



1 gang switch



4 gang switch



2 gang illuminated switch



3 gang illuminated switch



2 gangs switch with transparent rocker and label holder



Bell push button



Indicator for Do not disturb / Clean up and bell push button



Do not disturb / Clean up 2 gang switch

Modular solution on demand.

We strive to meet your needs. We don't believe in compromising. Mallia offers a vast selection of wiring devices to cater for every project, and if you don't find what you want, our efficient made to order service will provide a solution for every situation.



Fan speed control



Rotary dimmer control and
2 way switch



Telephone socket



Telephone and data (RJ11 and
RJ45) socket



TV female terminal socket



1 gang 45 A DP switch with
LED indicator



1 gang (BS) socket outlet



Automatic switch



Single support with double
RJ11 and RJ45.



Double gang support with RJ11
TV and FM socket.

Mallia™

single pole switches



2810 00



2812 02



2810 10



2812 16

Conform to BS EN 60669 – 1
Front plates material: Polycarbonate
Supplied with 2 screws M 3.5 for BS boxes
Dim.: 86.5 x 86.5 x 10.5 mm

Pack	Cat.Nos		Single pole switches 10 AX - 250 V	
	White		Standard functions	
10	2810 00			1 gang - 1 way
10	2810 01			1 gang - 2 way
4	2810 08			1 gang - intermediate
10	2810 02			2 gang - 1 way
10	2810 03			2 gang - 2 way
10	2810 04			3 gang - 1 way
10	2810 05			3 gang - 2 way
10	2810 06			4 gang - 1 way ⁽¹⁾
10	2810 07			4 gang - 2 way ⁽¹⁾
	Silver	Champagne		
5	2812 00	2814 00		1 gang - 1 way
5	2812 01	2814 01		1 gang - 2 way
4	2812 08	2814 08		1 gang - intermediate
5	2812 02	2814 02		2 gang - 1 way
5	2812 03	2814 03		2 gang - 2 way
5	2812 04	2814 04		3 gang - 1 way
5	2812 05	2814 05		3 gang - 2 way
5	2812 06	2814 06		4 gang - 1 way ⁽¹⁾
5	2812 07	2814 07		4 gang - 2 way ⁽¹⁾

Pack	Cat.Nos		Single pole switches 10 AX - 250 V (continued)	
	White		Illuminated functions	
			Transparent phosphorescent lens To be equipped with green or red LED according to the needs: indicator or locator (see p. 517) The LED is not supplied	
10	2810 10			1 gang - 1 way
10	2810 11			1 gang - 2 way
4	2810 09			1 gang - intermediate
10	2810 12			2 gang - 1 way
10	2810 13			2 gang - 2 way
10	2810 14			3 gang - 1 way
10	2810 15			3 gang - 2 way
10	2810 16			4 gang - 1 way ⁽¹⁾
10	2810 17			4 gang - 2 way ⁽¹⁾
	Silver	Champagne		
5	2812 10	2814 10		1 gang - 1 way
5	2812 11	2814 11		1 gang - 2 way
4	2812 09	2814 09		1 gang - intermediate
5	2812 12	2814 12		2 gang - 1 way
5	2812 13	2814 13		2 gang - 2 way
5	2812 14	2814 14		3 gang - 1 way
5	2812 15	2814 15		3 gang - 2 way
5	2812 16	2814 16		4 gang - 1 way ⁽¹⁾
5	2812 17	2814 17		4 gang - 2 way ⁽¹⁾

(1) Compatible with metal boxes only
For installation fold the lugs of the boxes

NEW

Mallia™

push-buttons, single and double pole switches



2810 40



2812 50



2810 62

Conform to BS EN 60669 - 1. Front plates material : Polycarbonate. Supplied with 2 screws M 3.5 for BS boxes. Dim.: 86.5 x 86.5 x 10.5 mm

Pack	Cat.Nos	Push-buttons 10 A - 250 V
10	White 2810 41	Push-button, N/O contact
10	2810 40	Push-button, N/O contact, with bell symbol
5	Silver 2812 41 Champagne 2814 41	Push-button, N/O contact
5	2812 40 2814 40	Push-button, N/O contact, with bell symbol

Pack	Cat.Nos	Single pole switches 20 AX - 250 V
10	White 2810 50	1 gang - 1 way
10	2810 51	1 gang - 2 way
4	2810 69	1 gang - intermediate
10	2810 52	2 gang - 1 way
10	2810 53	2 gang - 2 way
10	2810 54	3 gang - 1 way ⁽¹⁾
10	2810 55	3 gang - 2 way ⁽¹⁾
5	Silver 2812 50 Champagne 2814 50	1 gang - 1 way
5	2812 51 2814 51	1 gang - 2 way
4	2812 69 2814 69	1 gang - intermediate
5	2812 52 2814 52	2 gang - 1 way
5	2812 53 2814 53	2 gang - 2 way
5	2812 54 2814 54	3 gang - 1 way ⁽¹⁾
5	2812 55 2814 55	3 gang - 2 way ⁽¹⁾

Pack	Cat.Nos	Double pole switches 20 AX - 250 V
10	White 2810 60	Equipped with earth link connector 1 gang - 1 way
10	2810 61	1 gang - 1 way, with LED power indicator
10	2810 62	1 gang - 1 way, with LED power indicator and "WATER HEATER" marking
10	2810 65	2 gang - 1 way, with LED power indicator
10	2810 66	1 gang - 1 way, with LED power indicator and cable outlet
10	2810 67	1 gang - 1 way, with LED power indicator and cable outlet "WATER HEATER" marking
5	Silver 2812 60 Champagne 2814 60	1 gang - 1 way
5	2812 61 2814 61	1 gang - 1 way, with LED power indicator
5	2812 62 2814 62	1 gang - 1 way, with LED power indicator and "WATER HEATER" marking
5	2812 65 2814 65	2 gang - 1 way, with LED power indicator
5	2812 66 2814 66	1 gang - 1 way, with LED power indicator and cable outlet
5	2812 67 2814 67	1 gang - 1 way, with LED power indicator and cable outlet "WATER HEATER" marking

(1) Compatible with metal boxes only
For installation fold the lugs of boxes



2814 72



2812 84



2814 90

Front plates material : Polycarbonate. Supplied with 2 screws M 3.5 for BS boxes. Dim.: 86.5 x 86.5 x 10.5 mm

Pack	Cat.Nos	Double pole switches (continued)
	White	45 A - 250 V Conform to BS EN 60669 - 1
10	2810 71	1 gang - 1 way, with red indicator
10	2810 72	1 gang - 1 way, with red indicator with cooker marking
10	2810 73	2 gang - 1 way vertical switch, with red indicator
	Silver Champagne	
5	2812 71 2814 71	1 gang - 1 way, with red indicator
5	2812 72 2814 72	1 gang - 1 way, with red indicator with cooker marking
5	2812 73 2814 73	2 gang - 1 way vertical switch, with red indicator
	White	Cooker control unit Conform to BS 4177
10	2810 75	45 A DP switch + 13 A switched socket outlet with red indicator
	Silver Champagne	
5	2812 75 2814 75	45 A DP switch + 13 A switched socket outlet with red indicator

Pack	Cat.Nos	Dimmers
1	White 2810 80	60-500 W rotary control dimmer for incandescent and halogen lamps 230 V - 60-300 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 401 39 (p. 458)
1	2810 84	500 W rotary control dimmer + 2 way switch - for incandescent and halogen lamps 230 V
	Silver Champagne	
1	2812 80 2814 80	60-500 W rotary control dimmer for incandescent and halogen lamps 230 V - 60-300 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 401 39 (p. 458)
1	2812 84 2814 84	500 W rotary control dimmer + 2 way switch - for incandescent and halogen lamps 230 V

Pack	Cat.Nos	Fan speed control
	White	
1	2810 82	5 speed fan control 100 W for fan with overall diameter 48"
	Silver Champagne	
1	2812 82 2814 82	5 speed fan control 100 W for fan with overall diameter 48"
	White	Automatic switch Automatic switch with infrared movement detector Horizontal detection angle 180° Luminosity threshold: 43 to 1614 lux Detection range: max. 12 m Compatible load: 25 - 200 W for incandescent and halogen lamps 230 V Temporization: 20 s - 15 min
1	2810 90	Automatic switch
	Silver Champagne	
1	2812 90 2814 90	Automatic switch
	White	Time delay switch Adjustable time from 5 min to 12 h Maximum load : 500 W incandescent and halogen lamps 230 V - 250 W fluorescent lamps without capacitor
1	2810 91	Time delay switch
	Silver Champagne	
1	2812 91 2814 91	Time delay switch

Pack	Cat.Nos	Programmable switch
	White	
1	2810 92	Power supply: 230 V - 50/60 Hz Maximum load: 2300 W Weekly programme Capacity: max. 28 programmes Output: 1 changeover contact Programmable switch
	Silver Champagne	
1	2812 92 2814 92	Programmable switch

NEW

Mallia™

switches for hotels, telephone, data and television sockets



2810 48



2812 45



2815 60



2811 51

Front plates material : Polycarbonate
 Supplied with 2 screws M 3.5 for BS boxes
 Dim.: 86.5 x 86.5 x 10.5 mm

Pack	Cat.Nos	Switches for hotels - 230 V~
1	White 2810 48	Key card switch, time delay around 30 s
10	2810 45	Do not disturb / Clean up bell push-button
10	2810 46	Do not disturb / Clean up 2 gang switch
1	Silver 2812 48	Key card switch, time delay around 30 s
5	Champagne 2814 48	
5	2812 45	Do not disturb / Clean up bell push-button
5	2814 45	
5	2812 46	Do not disturb / Clean up 2 gang switch
	2814 46	

Pack	Cat.Nos	Telephone sockets
10	White 2811 60	1/4 turn, tool-less connector RJ 11 socket - 4 contacts
10	2811 63	Double RJ 11 socket - 4 contacts
5	Silver 2813 60	RJ 11 socket - 4 contacts
5	Champagne 2815 60	
5	2813 63	Double RJ 11 socket - 4 contacts
	2815 63	

Pack	Cat.Nos	Other telephone sockets
10	White 2811 68	BS master telephone socket
10	2811 69	BS secondary telephone socket
10	2811 70	2A - 3 pin socket
5	Silver 2813 68	BS master telephone socket
5	Champagne 2815 68	BS secondary telephone socket
5	2813 70	2A - 3 pin socket
	2815 70	

Pack	Cat.Nos	Data sockets
10	White 2811 61	RJ 45 Cat 5e UTP
10	2811 62	RJ 45 Cat 6 UTP
10	2811 64	Double RJ 45 Cat 5e UTP
10	2811 65	Double RJ 45 Cat 6 UTP
5	Silver 2813 61	RJ 45 Cat 5e UTP
5	Champagne 2815 61	RJ 45 Cat 6 UTP
5	2813 62	
5	2815 62	
5	2813 64	Double RJ 45 Cat 5e UTP
5	2815 64	Double RJ 45 Cat 6 UTP
5	2813 65	
	2815 65	

Pack	Cat.Nos	Telephone & data sockets
10	White 2811 66	RJ 11 + RJ 45 socket Cat 5e UTP
5	Silver 2813 66	RJ 11 + RJ 45 socket Cat 5e UTP
	Champagne 2815 66	

Pack	Cat.Nos	Television sockets
10	White 2811 51	TV female terminal socket
10	2811 52	TV female F type socket
10	2811 55	TV FM SCV outlet type F (2 gang)
10	2811 56	TV+FM socket
10	2811 57	TV+FM+SAT socket
5	Silver 2813 51	TV female terminal socket
5	Champagne 2815 51	TV female F type socket
5	2813 52	
5	2815 52	
5	2813 55	TV FM SCV outlet type F (2 gang)
5	2815 55	
5	2813 56	TV+FM socket
5	2815 56	
5	2813 57	TV+FM+SAT socket
	2815 57	

Mallia™ socket outlets



2811 10



2813 11



2811 28



2811 29

Front plates material : Polycarbonate
Supplied with 2 screws M 3.5 for BS boxes
Dim.: 86.5 x 86.5 x 10.5 mm

Pack	Cat.Nos	Socket outlets 13 A - 250 V
	White	Conform to BS 1363: Part 2 2P+ E British standard
10	2811 10	Unswitched 1 gang
5	2811 12	2 gang
5	2813 10	Silver
5	2815 10	Champagne
5	2813 12	2815 12
	White	Single pole switched
10	2811 11	1 gang
10	2811 14	1 gang, with red power indicator
5	2811 13	2 gang
5	2811 15	2 gang, with red power indicator
5	2813 11	Silver
5	2815 11	Champagne
5	2813 14	2815 14
5	2813 13	2815 13
5	2813 15	2815 15

Pack	Cat.Nos	Socket outlets 15 A - 250 V
	White	Conform to BS 546 British standard
10	2811 27	1 gang
10	2811 28	1 gang, switched
10	2811 29	1 gang, switched, with red LED power indicator
5	2813 27	Silver
5	2815 27	Champagne
5	2813 28	2815 28
5	2813 29	2815 29

Pack	Cat.Nos	Socket outlets 5 A - 250 V
	White	Conform to BS 546 British standard
10	2811 31	1 gang
10	2811 32	1 gang, switched
5	2813 31	Silver
5	2815 31	Champagne
5	2813 32	2815 32

NEW
Mallia™
international standard socket outlets, modular mechanisms for socket outlets


2811 00



2813 02



2815 25

Front plates material : Polycarbonate. Supplied with 2 screws M 3.5 for BS boxes. Dim.: 86.5 x 86.5 x 10.5 mm

Pack	Cat.Nos	International standard socket outlets	
	White	Euro-US 10/16 A - 250 V	
10	2811 00		2P - 1 gang
10	2811 01		2P - 1 gang + 10 A switch
10	2811 02		2P - 2 gang
10	2811 03		2P+E - 1 gang
10	2811 04		2P+E - 2 gang
	Silver Champagne		
5	2813 00 2815 00		2P - 1 gang
5	2813 01 2815 01		2P - 1 gang + 10 A switch
5	2813 02 2815 02		2P - 2 gang
5	2813 03 2815 03		2P+E - 1 gang
5	2813 04 2815 04		2P+E - 2 gang
	White	German standard 16 A 250 V	
10	2811 25		1 gang
	Silver Champagne		
5	2813 25 2815 25		1 gang

Pack	Cat.Nos	Socket outlets modular mechanisms	
	White	To be equipped with support frame and plates below	
5	2818 55		British standard - 13 A 250 V~ 1 gang
5	2818 58		1 gang, switched
	Silver Champagne		
5	2818 56 2818 57		1 gang
5	2818 59 2818 60		1 gang, switched
	White	Euro - US	
8	2818 47		2P+E - 1 gang
	Silver Champagne		
8	2818 48 2818 49		2P+E - 1 gang
	White	German standard	
5	2818 50		2P+E - 1 gang
	Silver Champagne		
5	2818 51 2818 52		2P+E - 1 gang
	White	Support frame and front plates for modular mechanism socket outlets	
5	2819 30		Fixing screws supplied 2 gang
	Silver Champagne		
5	2819 31 2819 32		2 gang

Mallia™

fused connection units, cable outlets, shaver sockets, accessories



Material : Polycarbonate. Supplied with 2 screws M 3.5 for BS boxes. Dim.: 86.5 x 86.5 x 10.5 mm

13 A fused connection units

Pack	Cat.Nos	
10	White 2811 40	Conform to BS 1363: Part 4 Unswitched
10	2811 41	Switched
10	2811 42	Switched with red LED power indicator
5	Silver 2813 40	Unswitched
5	Champagne 2815 40	
5	2813 41	Switched
5	2815 41	
5	2813 42	Switched with red LED power indicator
5	2815 42	

Cable outlets

10	White 2811 47	Conform to BS 5733 20 A
5	2811 48	45 A
5	Silver 2813 47	20 A
5	Champagne 2815 47	
5	2813 48	45 A
5	2815 48	

Shaver sockets

1	White 2811 35	240 V / 120 V - 50/60 Hz
1	Silver 2813 35	
1	Champagne 2815 35	

Other functions

Downlighter

10	White 2810 97	Low output downlighter 230 V~, with LED
5	Silver 2812 97	Low output downlighter 230 V~, with LED
5	Champagne 2814 97	

Blanking plates

10	White 2811 90	1 gang
10	2811 91	2 gang
10	Silver 2813 90	1 gang
5	Champagne 2815 90	
5	2813 91	2 gang
5	2815 91	

Accessories

Transparent rocker with label holders for switches

5	2818 95	Can be used instead of the standard rocker plates. Supplied with white labels 1 gang
5	2818 96	2 gang
5	2818 97	3 gang

Lamps

10	2819 97	LED 220 V, green low consumption - locator
10	2819 98	LED 220 V, red - high luminosity - indicator

NEW

Mallia™

sound distribution system, plates, surface mounting boxes



2811 82



2811 84



2811 85



2819 01

Supplied with 2 screws M 3.5 for BS boxes
Dim.: 86.5 x 86.5 x 10.5 mm

Pack	Cat.Nos	Sound distribution system
		Stand alone system for 1 single room
1	White 2811 80	Kit containing 1 mobile power supply, 1 tuner and 2 speakers
1	Silver 2813 80 Champagne 2815 80	Kit containing 1 mobile power supply, 1 tuner and 2 speakers
		Configurable system for several rooms
1	White 2811 81	Modular power supply 230 V / 15 V - 15 W, 5 modules
1	2811 82	Central unit
1	2811 83	Local control unit with LCD display, child surveillance and intercommunication
1	2811 84	FM tuner with local control unit
1	2811 85	Loudspeaker
1	Silver 2813 82 Champagne 2815 82	Central unit
1	2813 83 2815 83	Local control unit with LCD display, child surveillance and intercommunication
1	2813 84 2815 84	FM tuner with local control unit
1	2813 85 2815 85	Loudspeaker

Pack	Cat.Nos	Plates
10	White 2819 00	1 gang
5	2819 01	2 x 1 gang
10	2819 03	Surrounding frame 1 gang
10	2819 04	Surrounding frame 2 x 1 gang
10	Silver 2819 05 Champagne 2819 10	1 gang
5	2819 06 2819 11	2 x 1 gang
10	2819 08 2819 13	Surrounding frame 1 gang
10	2819 09 2819 14	Surrounding frame 2 x 1 gang

Pack	Cat.Nos	Surface mounting boxes
8	White 2819 88	1 gang: 86 x 86 mm
4	2819 89	2 gang: 86 x 146 mm

Available
September 2007

Mallia™ selection chart

		WHITE	SILVER	CHAMPAGNE			WHITE	SILVER	CHAMPAGNE	
SINGLE POLE SWITCHES 10 AX - 250 V~ STANDARD FUNCTIONS					COOKER CONTROL UNIT					
1 gang - 1 way		2810 00	2812 00	2814 00	45 A DP switch + 13 A switched socket outlet with red indicator		2810 75	2812 75	2814 75	
1 gang - 2 way		2810 01	2812 01	2814 01	DIMMERS					
1 gang - intermediate		2810 08	2812 08	2814 08	60-500 W rotary control dimmer for incandescent and halogen lamps 230 V~ 60-300 V~ ELV halogen lamps with ferromagnetic transformer and compensator		2810 80	2812 80	2814 80	
2 gang - 1 way		2810 02	2812 02	2814 02	FAN SPEED CONTROL					
2 gang - 2 way		2810 03	2812 03	2814 03	5 speed fan control 100 W for fan with overall diameter 48"		2810 82	2812 82	2814 82	
3 gang - 1 way		2810 04	2812 04	2814 04	AUTOMATIC SWITCH					
3 gang - 2 way		2810 05	2812 05	2814 05	Automatic Switch with infrared movement detector		2810 90	2812 90	2814 90	
4 gang - 1 way ⁽¹⁾		2810 06	2812 06	2814 06	TIME DELAY SWITCH					
4 gang - 2 way ⁽¹⁾	2810 07	2812 07	2814 07	Time delay switch with adjustable time		2810 91	2812 91	2814 91		
SINGLE POLE SWITCHES 10 AX - 250 V~ ILLUMINATED FUNCTIONS						PROGRAMMABLE SWITCH				
1 gang - 1 way		2810 10	2812 10	2814 10	Programmable switch - weekly programme		2810 92	2812 92	2814 92	
1 gang - 2 way		2810 11	2812 11	2814 11	SWITCHES FOR HOTELS - 230 V~					
1 gang - intermediate		2810 09	2812 09	2814 09	Key card switch, time delay around 30s		2810 48	2812 48	2814 48	
2 gang - 1 way		2810 12	2812 12	2814 12	Do not disturb / Clean up Bell push-button		2810 45	2812 45	2814 45	
2 gang - 2 way		2810 13	2812 13	2814 13	Do not disturb / Clean up 2 gang switch		2810 46	2812 46	2814 46	
3 gang - 1 way ⁽¹⁾		2810 14	2812 14	2814 14	TELEPHONE SOCKETS					
3 gang - 2 way ⁽¹⁾		2810 15	2812 15	2814 15	RJ 11 socket - 4 contacts		2811 60	2813 60	2815 60	
DOUBLE POLE SWITCHES 20 AX - 250 V~					Double RJ 11 socket - 4 contacts		2811 63	2813 63	2815 63	
1 gang - 1 way		2810 60	2812 60	2814 60	OTHER TELEPHONE SOCKETS					
1 gang - 1 way, with LED power indicator		2810 61	2812 61	2814 61	BS master telephone socket		2811 68	2813 68	2815 68	
1 gang - 1 way, with LED power indicator and "WATER HEATER" marking		2810 62	2812 62	2814 62	BS secondary telephone socket		2811 69	2813 69	2815 69	
2 gang - 1 way, with LED power indicator		2810 65	2812 65	2814 65	2A - 3 pin socket		2811 70	2813 70	2815 70	
1 gang - 1 way, with LED power indicator and cable outlet		2810 66	2812 66	2814 66	DATA SOCKETS					
1 gang - 1 way, with LED power indicator and cable outlet "WATER HEATER" marking		2810 67	2812 67	2814 67	RJ 45 Cat 5e UTP		2811 61	2813 61	2815 61	
DOUBLE POLE SWITCHES 45 A - 250 V~					RJ 45 Cat 6 UTP		2811 62	2813 62	2815 62	
1 gang - 1 way, with red indicator			2810 71	2812 71	2814 71		Double RJ 45 Cat 5e UTP	2811 64	2813 64	2815 64
1 gang - 1 way, with red indicator with cooker marking	2810 72		2812 72	2814 72	Double RJ 45 Cat 6 UTP		2811 65	2813 65	2815 65	
2 gang - 1 way, with vertical switch, with red indicator	2810 73		2812 73	2814 73	TELEPHONE & DATA SOCKETS					
					RJ 11 + RJ 45 socket Cat 5e UTP		2811 66	2813 66	2815 66	

⁽¹⁾ Compatible with metal boxes only
For installation fold the lugs of the boxes

Mallia™ selection chart

				
TELEVISION SOCKETS				
TV female terminal socket		2811 51	2813 51	2815 51
TV female F type socket		2811 52	2813 52	2815 52
TV-FM SCV outlet type F (2 gang)		2811 55	2813 55	2815 55
TV+FM socket		2811 56	2813 56	2815 56
TV+FM+SAT socket		2811 57	2813 57	2815 57
SOCKET OUTLETS 13 A - 250 V~ UNSWITCHED				
1 gang		2811 10	2813 10	2815 10
2 gang		2811 12	2813 12	2815 12
SOCKET OUTLETS 13 A - 250 V~ SINGLE POLE SWITCHED				
1 gang		2811 11	2813 11	2815 11
1 gang, with red power indicator		2811 14	2813 14	2815 14
2 gang		2811 13	2813 13	2815 13
2 gang, with red power indicator		2811 15	2813 15	2815 15
SOCKET OUTLETS 15 A - 250 V~				
1 gang		2811 27	2813 27	2815 27
1 gang, switched		2811 28	2813 28	2815 28
1 gang, switched, with red LED power indicator		2811 29	2813 29	2815 29
SOCKET OUTLETS 5 A - 250 V~				
1 gang		2811 31	2813 31	2815 31
1 gang, switched		2811 32	2813 32	2815 32
INTERNATIONAL STANDARD SOCKET OUTLETS EURO - US 10/16 A - 250 V~				
2P - 1 gang		2811 00	2813 00	2815 00
2P - 1 gang + 10A switch		2811 01	2813 01	2815 01
2P - 2 gang		2811 02	2813 02	2815 02
2P+E - 1 gang		2811 03	2813 03	2815 03
2P+E - 2 gang		2811 04	2813 04	2815 04
INTERNATIONAL STANDARD SOCKET OUTLETS GERMAN STANDARD 16 A - 250 V~				
1 gang		2811 25	2813 25	2815 25
SOCKET OUTLETS MODULAR MECHANISM BRITISH STANDARD 13 A - 250 V~				
1 gang		2818 55	2818 56	2818 57
1 gang, switched		2818 58	2818 59	2818 60
SOCKET OUTLETS MODULAR MECHANISM EURO - US				
2P+E - 1 gang		2818 47	2818 48	2818 49
SOCKET OUTLETS MODULAR MECHANISM GERMAN STANDARD				
2P+E - 1 gang		2818 50	2818 51	2818 52
SUPPORT FRAME AND FRONT PLATES FOR MODULAR MECHANISM SOCKETS OUTLETS				
2 gang		2819 30	2819 31	2819 32
13 A FUSED CONNECTION UNITS				
Unswitched		2811 40	2813 40	2815 40
Switched		2811 41	2813 41	2815 41
Switched with red LED power indicator		2811 42	2813 42	2815 42

		 WHITE	 SILVER	 CHAMPAGNE
CABLE OUTLETS				
20 A		2811 47	2813 47	2815 47
45 A		2811 48	2813 48	2815 48
SHAVER SOCKETS				
240 V / 120 V~ - 50/60 Hz		2811 35	2813 35	2815 35
OTHER FUNCTIONS - DOWNLIGHTER				
Low output downlighter 230 V~, with LED		2810 97	2812 97	2814 97
OTHER FUNCTIONS - BLANKING PLATES				
1 gang		2811 90	2813 90	2815 90
2 gang		2811 91	2813 91	2815 91
SOUND DISTRIBUTION SYSTEM - STAND ALONE SYSTEM FOR 1 SINGLE ROOM				
Kit containing 1 mobile power supply, 1 tuner and 2 speakers		2811 80	2813 80	2815 80
SOUND DISTRIBUTION SYSTEM - CONFIGURABLE SYSTEM FOR SEVERAL ROOMS				
Modular power supply 230 V / 15V~ - 15 W, 5 modules		2811 81		
Central unit		2811 82	2813 82	2815 82
Local control unit with LCD display, and child surveillance and intercommunication		2811 83	2813 83	2815 83
FM tuner with local control unit		2811 84	2813 84	2815 84
Loudspeaker		2811 85	2813 85	2815 85
PLATES				
1 gang		2819 00	2819 05	2819 10
2 x 1 gang		2819 01	2819 06	2819 11
Surrounding frame gang		2819 03	2819 08	2819 13
Surrounding frame gang 2 x 1 gang		2819 04	2819 09	2819 14
SURFACE MOUNTING BOXES				
1 gang: 86mm x 86mm		2819 88		
2 gang: 86mm x 146mm		2819 89		
ACCESSORIES - TRANSPARENT ROCKER WITH LABEL HOLDERS FOR SWITCHES				
1 gang		2818 95		
2 gang		2818 96		
3 gang		2818 97		
ACCESSORIES - LAMPS				
LED 220 V, green low consumption - locator		2819 97		
LED 220 V, red high luminosity - indicator		2819 98		



**Legrand Singapore
Showroom**

15 Jalan Kilang Barat
#07-05/06/07
Frontech Centre
Singapore 159357

Tel: (65) 6861 2234

Fax: (65) 6416 1680

Email: customerhub.sg@legrand.com.sg

Website: www.legrand.com.sg